

# Cuple Silicon

Tuning Parts Ltd.  
The Performance Shop

Temperaturi - 60 +280 Grade Celsius.

Recomandat la max. : +3Bar/+45PSI

Strat: 3

Grosime: 4.5mm

Toate preturile au TVA inclus



## Cuple Drepte

Diametru Interior (mm)	Diametru Exterior (mm)	Lungime Totala (mm)	Pret ( Lei )	Cod Produs
25	34	100	13.00	TP-SIL0025BL(BK)
32	41	100	17.00	TP-SIL0025BL(BK)
45	54	76	22.00	TP-SIL0025BL(BK)
51	60	76	23.00	TP-SIL0025BL(BK)
57	66	76	24.00	TP-SIL0025BL(BK)
63	72	76	24.00	TP-SIL0025BL(BK)
70	79	76	26.00	TP-SIL0025BL(BK)
76	85	76	26.00	TP-SIL0025BL(BK)
89	98	76	33.00	TP-SIL0025BL(BK)
102	111	76	35.00	TP-SIL0025BL(BK)

## Bara Silicon - 1m

Diametru Interior (mm)	Diametru Exterior (mm)	Lungime Totala (mm)	Pret ( Lei )	Cod Produs
8	17	1000	48.00	TP-SIL008BL(BK)
10	19	1000	62.00	TP-SIL0010BL(BK)
12	21	1000	73.00	TP-SIL0012BL(BK)
16	25	1000	100.00	TP-SIL0016BL(BK)
20	29	1000	113.00	TP-SIL0020BL(BK)
25	34	1000	125.00	TP-SIL0025BL(BK)
32	41	1000	145.00	TP-SIL0032BL(BK)
38	47	1000	156.00	TP-SIL0038BL(BK)
45	54	1000	169.00	TP-SIL0045BL(BK)



## Cuple Anti-Vibratii

Diametru Interior (mm)	Diametru Exterior (mm)	Lungime Totala (mm)	Pret ( Lei )	Cod Produs
51	60	90	27.00	TP-SIL0051BL(BK)
57	66	90	29.00	TP-SIL0057BL(BK)
63	72	90	31.00	TP-SIL0063BL(BK)
70	79	90	34.00	TP-SIL0070BL(BK)
76	85	90	36.00	TP-SIL0076BL(BK)
89	98	90	40.00	TP-SIL0089BL(BK)



# Cuple Silicon

Tuning Parts Ltd.  
The Performance Shop


Temperaturi - 60 +280 Grade Celsius.

Recomandat la max. : +3Bar/+45PSI

Strat: 3

Grosime: 4.5mm

Toate preturile au TVA inclus



## Cuple T

Diametru Interior (mm)	Diametru Exterior (mm)	Lungime Totala (mm)	Pret ( Lei )	Cod Produs
51 - 25	60 - 34	140	51.00	TP-SIL005125BL(BK)
51 - 32	60 - 41	150	52.00	TP-SIL005132BL(BK)
57 - 25	66 - 34	150	55.00	TP-SIL005725BL(BK)
57 - 32	66 - 41	150	57.00	TP-SIL005732BL(BK)
57 - 51	66 - 60	102	58.00	TP-SIL005751BL(BK)
63 - 25	72 - 34	102	60.00	TP-SIL006325BL(BK)
63 - 32	72 - 41	150	61.00	TP-SIL006332BL(BK)
76 - 12	85 - 21	140	62.00	TP-SIL007612BL(BK)
63 - 51	72 - 60	102	63.00	TP-SIL006351BL(BK)
76 - 16	85 - 25	140	63.00	TP-SIL007616BL(BK)
76 - 38	85 - 47	150	75.00	TP-SIL007638BL(BK)
76 - 51	85 - 60	102	76.00	TP-SIL007651BL(BK)
102 - 12	111 - 21	140	82.00	TP-SIL0010212BL(BK)
102 - 16	111 - 25	140	83.00	TP-SIL0010216BL(BK)

## Cuple T Reductii

Diametru Interior (mm)	Diametru Exterior (mm)	Lungime Totala (mm)	Pret ( Lei )	Cod Produs
57 - 63 / 24	66 - 72 / 33	140	50.00	TP-SIL005763BL(BK)
51 - 57 / 24	60 - 66 / 33	140	54.00	TP-SIL005157BL(BK)
51 - 63 / 24	60 - 72 / 33	140	58.00	TP-SIL005163BL(BK)
63 - 76 / 24	72 - 85 / 33	140	64.00	TP-SIL006376BL(BK)

# Cuple Silicon

Tuning Parts Ltd.  
The Performance Shop

Temperaturi - 60 +280 Grade Celsius.

Recomandat la max. : +3Bar/+45PSI

Strat: 3

Grosime: 4.5mm

Toate preturile au TVA inclus

## Reductii Drepte

Diametru Interior (mm)	Diametru Exterior (mm)	Lungime Totala (mm)	Pret ( Lei )	Cod Produs
25 - 32	34 - 41	76	19.00	TP-SIL005763BL
25 - 38	34 - 47	76	20.00	TP-SIL005763BL
32 - 38	41 - 47	76	21.00	TP-SIL003238BL(BK)
32 - 45	41 - 54	76	22.00	TP-SIL003245BL(BK)
38 - 51	47 - 60	76	25.00	TP-SIL003851BL(BK)
45 - 51	54 - 60	76	24.00	TP-SIL004551BL(BK)
45 - 57	54 - 66	76	25.00	TP-SIL004557BL(BK)
45 - 63	54 - 72	76	44.00	TP-SIL004563BL(BK)
51 - 57	60 - 66	76	28.00	TP-SIL005157BL(BK)
51 - 63	60 - 72	76	29.00	TP-SIL005163BL(BK)
51 - 70	60 - 79	76	29.00	TP-SIL005170BL(BK)
51 - 76	60 - 85	76	44.00	TP-SIL005176BL(BK)
57 - 63	66 - 72	76	30.00	TP-SIL005763BL(BK)
57 - 70	66 - 79	76	46.00	TP-SIL005770BL(BK)
57 - 76	66 - 85	76	52.00	TP-SIL005776BL(BK)
60 - 70	69 - 79	76	34.00	TP-SIL006070BL
63 - 70	72 - 79	76	34.00	TP-SIL006370BL(BK)
63 - 83	72 - 92	76	56.00	TP-SIL006383BL(BK)
70 - 83	79 - 92	76	42.00	TP-SIL007083BL(BK)
76 - 89	85 - 98	76	39.00	TP-SIL007689BL(BK)
76 - 102	85 - 111	76	42.00	TP-SIL0076102BL(BK)
76 - 83	85 - 92	76	44.00	TP-SIL007683BL(BK)



## Reductii 45 Grade

Diametru Interior (mm)	Diametru Exterior (mm)	Lungime Totala (mm)	Pret ( Lei )	Cod Produs
51 - 57	60 - 66	50/60	64.00	TP-SIL455157BL(BK)
51 - 63	60 - 72	50/60	66.00	TP-SIL455163BL(BK)
57 - 63	66 - 72	50/60	68.00	TP-SIL455763BL(BK)
70 - 76	79 - 85	50/60	69.00	TP-SIL457076BL(BK)
63 - 70	72 - 79	50/60	71.00	TP-SIL456370BL(BK)
76 - 63	85 - 72	50/60	71.00	TP-SIL457663BL(BK)
76 - 89	85 - 98	50/60	72.00	TP-SIL457689BL(BK)
76 - 102	85 - 111	50/60	73.00	TP-SIL4576102BL(BK)



# Cuple Silicon

Tuning Parts Ltd.  
The Performance Shop

Temperaturi - 60 +280 Grade Celsius.

Recomandat la max. : +3Bar/+45PSI

Strat: 3

Grosime: 4.5mm

Toate preturile au TVA inclus



## Reductii 90 Grade

Diametru Interior (mm)	Diametru Exterior (mm)	Lungime Totala (mm)	Pret ( Lei )	Cod Produs
25 - 32	34 - 41	102	29.00	TP-SIL902532BL(BK)
25 - 38	34 - 47	102	37.00	TP-SIL902538BL(BK)
32 - 38	41 - 47	102	39.00	TP-SIL903238BL(BK)
32 - 45	41 - 54	102	41.00	TP-SIL903245BL(BK)
51 - 57	60 - 66	102	46.00	TP-SIL905157BL(BK)
51 - 63	60 - 72	102	49.00	TP-SIL905163BL(BK)
57 - 63	66 - 72	102	59.00	TP-SIL905763BL(BK)
63 - 76	72 - 85	102	56.00	TP-SIL906376BL(BK)
63 - 70	72 - 79	102	57.00	TP-SIL906370BL(BK)
70 - 76	79 - 85	102	60.00	TP-SIL907076BL(BK)
76 - 89	85 - 98	102	68.00	TP-SIL907689BL(BK)
76 - 102	85 - 111	102	79.00	TP-SIL9076102BL(BK)

## Cuple 45 Grade



Diametru Interior (mm)	Diametru Exterior (mm)	Lungime Totala (mm)	Pret ( Lei )	Cod Produs
12	21	102	30.00	TP-SIL4512BL(BK)
16	25	102	33.00	TP-SIL4516BL(BK)
20	29	102	38.00	TP-SIL4520BL(BK)
25	34	102	27.00	TP-SIL4525BL(BK)
32	41	102	34.00	TP-SIL4532BL(BK)
38	47	102	31.00	TP-SIL4538BL(BK)
45	54	102	36.00	TP-SIL4545BL(BK)
51	60	102	41.00	TP-SIL4551BL(BK)
57	66	102	51.00	TP-SIL4557BL(BK)
63	72	102	52.00	TP-SIL4563BL(BK)
70	79	102	56.00	TP-SIL4570BL(BK)
76	85	102	65.00	TP-SIL4576BL(BK)
89	98	102	81.00	TP-SIL4589BL(BK)
102	111	102	90.00	TP-SIL45102BL(BK)

# Cuple Silicon

Tuning Parts Ltd.  
The Performance Shop

Temperaturi - 60 +280 Grade Celsius.

Recomandat la max. : +3Bar/+45PSI

Strat: 3

Grosime: 4.5mm

Toate preturile au TVA inclus

## Cuple 90 Grade



Diametru Interior (mm)	Diametru Exterior (mm)	Lungime Totala (mm)	Pret ( Lei )	Cod Probus
12	21	102	31.00	TP-SIL9012BL(BK)
16	25	102	34.00	TP-SIL9016BL(BK)
20	29	102	39.00	TP-SIL9020BL(BK)
25	34	102	23.00	TP-SIL9025BL(BK)
32	41	102	29.00	TP-SIL9032BL(BK)
38	47	102	33.00	TP-SIL9038BL(BK)
45	54	102	37.00	TP-SIL9045BL(BK)
51	60	102	43.00	TP-SIL9051BL(BK)
57	66	102	47.00	TP-SIL9057BL(BK)
63	72	102	51.00	TP-SIL9063BL(BK)
70	79	102	56.00	TP-SIL9070BL(BK)
76	85	102	66.00	TP-SIL9076BL(BK)
89	98	102	81.00	TP-SIL9089BL(BK)
102	111	102	86.00	TP-SIL90102BL(BK)

## Cuple 135 Grade



Diametru Interior (mm)	Diametru Exterior (mm)	Lungime Totala (mm)	Pret ( Lei )	Cod Probus

## Cuple 180 Grade



Diametru Interior (mm)	Diametru Exterior (mm)	Lungime Totala (mm)	Pret ( Lei )	Cod Probus

# Cuple Silicon

Tuning Parts Ltd.  
The Performance Shop

Temperaturi - 60 +280 Grade Celsius.

Recomandat la max. : +3Bar/+45PSI

Strat: 3

Grosime: 4.5mm

Toate preturile au TVA inclus

## Furtun Vacuum

Цената за 1 метър!



Diametru Interior (mm)	Diametru Exterior (mm)	Lungime Totala (mm)	Pret ( Lei )	Cod Probus
2	9	1000	8.00	TP-VAK10002BL(BK)
3	10	1000	12.00	TP-VAK10003BL(BK)
4	11	1000	16.00	TP-VAK10004BL(BK)
5	12	1000	20.00	TP-VAK10005BL(BK)
6	13	1000	23.00	TP-VAK10006BL(BK)
8	14	1000	31.00	TP-VAK10008BL(BK)
10	17	1000	35.00	TP-VAK100010BL(BK)

## Coliere T



Diametru Interior (mm)			Pret ( Lei )	Cod Probus
25 + 8			7.00	
32 + 8			8.00	
38 + 8			8.00	
45 + 8			9.00	
51 + 8			9.00	
57 + 8			10.00	
60 + 8			11.00	
63 + 8			11.00	
70 + 8			12.00	
76 + 8			13.00	
83 + 8			15.00	
90 + 8			17.00	
96 + 8			19.00	
102 + 8			21.00	